



Certificate of Compliance

Certificate: 2190221

Master Contract: 186726

Project: 2190221

Date Issued: 2010/02/19

Issued to: Northern Trailer, a div. of Horizon
North Camp & Catering Partnership
P.O. Box 3094
Kamloops, BC V2C 6B7
Canada
Attention: Julio Muzio

The products listed below are eligible to bear the CSA Mark shown



Issued by: Cadziana Plamondon

Authorized by: Terry Nagy, Operations Manager

PRODUCTS

CLASS 6612 02 - FACTORY CONSTRUCTED BUILDINGS AND STRUCTURES -
Mobile Commercial/Industrial Relocatable

Certification of commercial/industrial relocatable structures in compliance with Part 10 of the Alberta Building Code and Part 9 of the National Building Code of Canada as provincially amended, under the following noted conditions:

Buildings are: - Single storey with sleeping accommodation that is not more than 600 m2 in building area, and not more than 1,200 m2 if sprinklered; or

- Single storey without sleeping accommodation that is not more than 1,200 m2 in building area, and not more than 2,400 m2 if sprinklered

Structural: Conventional Wood Frame Construction and Plumbing System.

Electrical Rating: 120/208V ac, 60Hz., 800A max. 3 phase 4 wire



Certificate: 2190221

Master Contract: 186726

Project: 2190221

Date Issued: 2010/02/19

Heating/Ventilation: Central Forced Air Furnaces. Units may be Electric, Natural Gas or LPG Fire Systems may be Equipped with Air Conditioning and/or Hydronic heating (capacity)

Plumbing: Conventional Drainage and Vent Systems.

-CSA Design Label #83.0.3/ Material #1004343 for Commercial/Industrial Relocatable Structures

-Applicable Provincial Insignias

Noted Conditions:

- 1) This certification covers structures that provide accommodations for commercial/industrial work forces living and/or working in temporary locations.
- 2) The structures of these units are wood frame construction; construction camp facilities.
- 3) When welded steel structures form part of the structures of these buildings; the manufacturer is required to obtain certification from the Canadian Welding Bureau (CWB) to the requirements of CSA W47.1 standard. For conventional wood frame structures of these buildings, the manufacturer is required to obtain a deformation resistance test in conformance with CAN/CSA – Z240.2.1
- 4) This certification covers the construction of the structure and any factory installed plumbing, gas and electrical services, and is intended to obviate the necessity of further inspection by the local regulatory authorities except for site connections to services, sewage disposal or to other modules and for site mounting features.
- 5) This certification does not include permanent industrial, commercial or semi-commercial buildings; such as Hospitals, nor does it include Hotels /Motels, Schools, Portable Classrooms or any other structure outside the scope of parts 9 and 10 of applicable building codes. It does not include sewage disposal
- 6) Verifications of Fire Alarm System, Sprinkler System and Fire Suppression Systems are not part of this certification.
- 7) Validation and balancing of heating, air-conditioning & ventilation systems and plumbing systems, including potable water systems is the responsibility of the manufacturer and site contractors, it is not part of this certification.
- 8) General safety items as outlined in Section 10.6 are not part of this certification. Namely: spacial separation, walkways or corridors, proximity to vegetation and skirting,

APPLICABLE REQUIREMENTS

CSA Standard A277-08 – Procedure for Factory Certification of Buildings.

CSA Building Products Notice No. 14B

MARKINGS

See report



Supplement to Certificate of Compliance

Certificate: 2190221

Master Contract: 186726

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
2190221	2010/02/19	Adding class 6612-02 mobile commercial/industrial relocateable structures